

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	37416	clr or common adj language adj runtime or virtual adj machine or jvm	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/30 14:26
S2	911113	database or dbms or db or sql adj server	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/27 09:48
S3	7426	S1 and S2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/27 09:48
S4	1300	S1 same S2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/27 09:48
S5	483	S1 with S2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/27 09:48
S6	869272	host\$3 or manag\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/27 09:49
S7	5753	S1 and S2 and S6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/27 09:49
S8	983	S1 same S2 and S6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/27 09:49
o						

EAST Search History

S9	328	S1 same S2 same S6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/27 09:49
S10	122	S1 with S2 same S6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/27 09:49
S11	97	S1 with S2 with S6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/27 10:12
S12	45	S1 with S2 with S6 and "707".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/27 09:49
S13	6	"6345276".pn. "6178519".pn. "6629113".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/27 10:15
S14	14	"6694346".pn. "5682535".pn. "6629113".pn. "5751613".pn. "6256637".pn. "5822590".pn. "6094528".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/27 10:16
S15	33	("4792895" "4912628" "5201049" "5692193" "5745703" "5765157" "5835705" "5918053" "5946487" "5996026" "6003050" "6098080"). PN. OR ("6256637").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/07/27 14:25
S16	21	("6256637").URPN.	USPAT	OR	OFF	2006/07/27 14:26
S17	4	(US-6957237-\$ or US-6256637-\$ or US-6178519-\$).did. or (US-6345276-\$).did.	USPAT; DERWENT	OR	OFF	2006/07/30 14:26
S18	0	S17 and physical adj memory with only	USPAT; DERWENT	OR	OFF	2006/07/30 14:26

EAST Search History

S20	6	(clr or common adj language adj runtime or virtual adj machine or jvm) same (physical adj memory near2 "only")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/30 15:26
S21	40	(clr or common adj language adj runtime or virtual adj machine or jvm) same ((single or sole or one) near3 thread with processor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/30 14:54
S22	7	(clr or common adj language adj runtime or virtual adj machine or jvm) same ((single or sole or one) near thread with processor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/30 14:55
S23	3	(clr or common adj language adj runtime or virtual adj machine or jvm) same ((single or sole or one) adj thread with processor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/30 14:56
S24	978	((single or sole or one) adj thread with processor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/30 14:56
S25	34	((single or sole or one) adj thread adj per adj processor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/30 14:56
S28	34	(clr or common adj language adj runtime or virtual adj machine or jvm) and (Code adj Access adj Security)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/30 15:18
S29	10	(clr or common adj language adj runtime or virtual adj machine or jvm) same (Code adj Access adj Security)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/30 15:19

EAST Search History

S30	7	(clr or common adj language adj runtime or virtual adj machine or jvm) same (Code adj Access adj Security) and (database or \$dbms)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/30 15:19
S31	6	(US-6957237-\$ or US-6256637-\$ or US-6178519-\$ or US-6944699-\$ or US-6223207-\$).did. or (US-6345276-\$).did.	USPAT; DERWENT	OR	OFF	2006/07/30 15:24
S32	2	S31 and security	USPAT	OR	OFF	2006/07/30 15:24
S33	3	S31 and (security or secure)	USPAT	OR	OFF	2006/07/30 15:24
S34	1	(clr or common adj language adj runtime or virtual adj machine or jvm) same (secured near data near resource)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/30 15:34
S35	1	(clr or common adj language adj runtime or virtual adj machine or jvm) same (secur\$2 near data near resource)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/30 15:26
S36	8	(clr or common adj language adj runtime or virtual adj machine or jvm) same (secur\$2 near resource)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/30 15:28
S37	28	(clr or common adj language adj runtime or virtual adj machine or jvm) and (secur\$2 near resource) same (database or ?dbms)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/30 15:59
S38	1	(clr or common adj language adj runtime or virtual adj machine or jvm) and ((secur\$2 near2 resource) with request) same (database or ?dbms)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/30 15:30
S39	6	((secur\$2 near2 resource) with request) same (database or ?dbms)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/30 15:33

EAST Search History

S40	791	(security adj policy) same (database or ?dbms)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/30 15:33
S41	499	(security adj policy) with (database or ?dbms)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/30 15:33
S42	3	(clr or common adj language adj runtime or virtual adj machine or jvm) same (security adj policy) same (database or ?dbms)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/30 15:38
S43	93	(clr or common adj language adj runtime or virtual adj machine or jvm) same (security adj policy)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/30 15:38
S44	60	(clr or common adj language adj runtime or virtual adj machine or jvm) with (security adj policy)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/30 15:41
S45	0	secur\$3 with low-level adj resource	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/30 15:42
S46	1	secur\$3 same low-level adj resource	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/30 15:42
S47	1735	secur\$3 same system adj resource	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/30 15:43

EAST Search History

S48	884	secur\$3 with system adj resource	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/30 15:43
S49	170	secur\$3 adj3 system adj resource	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/30 15:43
S50	14	secur\$3 adj3 system adj resource and ("707".clas. or "717.clas")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/30 15:43
S51	2	secur\$3 adj3 system adj resource with request and ("707".clas. or "717.clas")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/30 15:44
S52	5	secur\$3 adj3 system adj resource with request	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/30 15:45
S53	33	secur\$3 with system adj resource with request	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/30 15:45
S54	8	secur\$3 with system adj resource with request and ("707".clas. or "717".clas.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/30 15:59
S55	3046	(database or ?dbms) and (security adj policy)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/30 15:59

EAST Search History

S56	499	(database or ?dbms) with (security adj policy)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/30 15:59
S57	37	(clr or common adj language adj runtime or virtual adj machine or jvm) and (database or ?dbms) with (security adj policy)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/30 16:00
S58	3	(clr or common adj language adj runtime or virtual adj machine or jvm) and (database or ?dbms) with (security adj policy) and "707".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/30 16:00
S59	3	(clr or common adj language adj runtime or virtual adj machine or jvm) and (database or ?dbms) with (security adj policy) and ("707".clas. or "717.clas")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/30 16:01
S60	6	(clr or common adj language adj runtime or virtual adj machine or jvm) and (database or ?dbms) with (security adj policy) and ("707".clas. or "717".clas.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/30 16:01
S61	39432	clr or common adj language adj runtime or virtual adj machine or jvm	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 11:23
S62	955104	database or dbms or db or sql adj server	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 11:23
S63	8329	S61 and S62	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 11:23

EAST Search History

S64	1474	S61 same S62	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 11:23
S65	550	S61 with S62	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 11:23
S66	933198	host\$3 or manag\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 11:23
S67	6520	S61 and S62 and S66	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 11:23
S68	1132	S61 same S62 and S66	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 11:23
S69	374	S61 same S62 same S66	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 11:23
S70	147	S61 with S62 same S66	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 11:23
S71	50	S61 with S62 with S66 and "707".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 11:23

EAST Search History

S72	110	S61 with S62 with S66	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 11:23
S73	6	"6345276".pn. "6178519".pn. "6629113".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 11:23
S74	14	"6694346".pn. "5682535".pn. "6629113".pn. "5751613".pn. "6256637".pn. "5822590".pn. "6094528".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 11:23
S75	34	("4792895" "4912628" "5201049" "5692193" "5745703" "5765157" "5835705" "5918053" "5946487" "5996026" "6003050" "6098080"). PN. OR ("6256637").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/01/23 11:23
S76	22	("6256637").URPN.	USPAT	OR	OFF	2007/01/23 11:23
S77	4	(US-6957237-\$ or US-6256637-\$ or US-6178519-\$).did. or (US-6345276-\$).did.	USPAT; DERWENT	OR	OFF	2007/01/23 11:23
S78	0	S77 and physical adj memory with only	USPAT; DERWENT	OR	OFF	2007/01/23 11:23
S79	6	(clr or common adj language adj runtime or virtual adj machine or jvm) same (physical adj memory near2 "only")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 11:23
S80	40	(clr or common adj language adj runtime or virtual adj machine or jvm) same ((single or sole or one) near3 thread with processor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 11:23
S81	7	(clr or common adj language adj runtime or virtual adj machine or jvm) same ((single or sole or one) near thread with processor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 11:23

EAST Search History

S82	3	(clr or common adj language adj runtime or virtual adj machine or jvm) same ((single or sole or one) adj thread with processor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 11:23
S83	1112	((single or sole or one) adj thread with processor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 11:23
S84	42	((single or sole or one) adj thread adj per adj processor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 11:23
S85	38	(clr or common adj language adj runtime or virtual adj machine or jvm) and (Code adj Access adj Security)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 11:23
S86	12	(clr or common adj language adj runtime or virtual adj machine or jvm) same (Code adj Access adj Security)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 11:23
S87	8	(clr or common adj language adj runtime or virtual adj machine or jvm) same (Code adj Access adj Security) and (database or \$dbms)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 11:23
S88	6	(US-6957237-\$ or US-6256637-\$ or US-6178519-\$ or US-6944699-\$ or US-6223207-\$).did. or (US-6345276-\$).did.	USPAT; DERWENT	OR	OFF	2007/01/23 11:23
S89	2	S88 and security	USPAT	OR	OFF	2007/01/23 11:23
S90	3	S88 and (security or secure)	USPAT	OR	OFF	2007/01/23 11:23
S91	1	(clr or common adj language adj runtime or virtual adj machine or jvm) same (secured near data near resource)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 11:23

EAST Search History

S92	1	(clr or common adj language adj runtime or virtual adj machine or jvm) same (secur\$2 near data near resource)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 11:23
S93	9	(clr or common adj language adj runtime or virtual adj machine or jvm) same (secur\$2 near resource)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 11:23
S94	37	(clr or common adj language adj runtime or virtual adj machine or jvm) and (secur\$2 near resource) same (database or ?dbms)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 11:23
S95	1	(clr or common adj language adj runtime or virtual adj machine or jvm) and ((secur\$2 near2 resource) with request) same (database or ?dbms)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 11:23
S96	8	((secur\$2 near2 resource) with request) same (database or ?dbms)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 11:23
S97	917	(security adj policy) same (database or ?dbms)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 11:23
S98	583	(security adj policy) with (database or ?dbms)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 11:23
S99	3	(clr or common adj language adj runtime or virtual adj machine or jvm) same (security adj policy) same (database or ?dbms)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 11:23

EAST Search History

S10 0	106	(clr or common adj language adj runtime or virtual adj machine or jvm) same (security adj policy)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 11:23
S10 1	68	(clr or common adj language adj runtime or virtual adj machine or jvm) with (security adj policy)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 11:23
S10 2	0	secur\$3 with low-level adj resource	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 11:23
S10 3	1	secur\$3 same low-level adj resource	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 11:23
S10 4	1923	secur\$3 same system adj resource	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 11:23
S10 5	979	secur\$3 with system adj resource	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 11:23
S10 6	183	secur\$3 adj3 system adj resource	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 11:23
S10 7	15	secur\$3 adj3 system adj resource and ("707".clas. or "717.clas")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 11:23

EAST Search History

S10 8	2	secur\$3 adj3 system adj resource with request and ("707".clas. or "717.clas")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 11:23
S10 9	5	secur\$3 adj3 system adj resource with request	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 11:23
S11 0	38	secur\$3 with system adj resource with request	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 11:23
S11 1	10	secur\$3 with system adj resource with request and ("707".clas. or "717".clas.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 11:23
S11 2	3486	(database or ?dbms) and (security adj policy)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 11:23
S11 3	583	(database or ?dbms) with (security adj policy)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 11:23
S11 4	50	(clr or common adj language adj runtime or virtual adj machine or jvm) and (database or ?dbms) with (security adj policy)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 11:23
S11 5	4	(clr or common adj language adj runtime or virtual adj machine or jvm) and (database or ?dbms) with (security adj policy) and "707".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 11:23

EAST Search History

S11 6	4	(clr or common adj language adj runtime or virtual adj machine or jvm) and (database or ?dbms) with (security adj policy) and ("707".clas. or "717.clas")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 11:23
S11 7	8	(clr or common adj language adj runtime or virtual adj machine or jvm) and (database or ?dbms) with (security adj policy) and ("707".clas. or "717".clas.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 11:23